CLAIMS

1. (Currently Amended) A method of video contrast enhancement comprising:
setting a first pixel level threshold for an input video frame in a video sequence,
the input video frame including a plurality of pixels having corresponding pixel values within
a pixel value range, where the first pixel level threshold is set to one of the pixel values
within the pixel value range;

when a given input-video-frame pixel's value is below the pixel level threshold, remapping that pixel according to an adaptive contrast-enhancing function; and

when the given input-video-frame pixel's value is above the pixel level threshold, remapping that pixel according to a scene-stable mapping function;

detecting substantial changes in scene histogram content from one frame of the video sequence to a following frame; and

when a substantial change in scene histogram content is detected, allowing the adaptive contrast-enhancing function to change more rapidly than it is otherwise allowed to change.

2. (Canceled)

 (Previously presented) The method of claim 1, further comprising: setting a second pixel level threshold for an input video frame, the second threshold higher than the first; and

when a given input-video-frame pixel's value is above the second pixel level threshold, remapping that pixel to a new level according to a second adaptive contrast-enhancing function.

- 4. (Original) The method of claim 1, wherein setting a first pixel level threshold comprises setting a threshold that places a selected percentage of the input video frame's pixels below the threshold.
- 5. (Original) The method of claim 4, wherein the threshold is estimated from pixel values obtained from one or more previous input video frames.

Docket No. 8371-098

Page 2 of 8

Application No. 09/676,523

- 6. (Original) The method of claim 1, wherein setting a first pixel level threshold comprises setting the threshold to a fixed level for at least the duration of a scene.
- 7. (Original) The method of claim 1, further comprising calculating the adaptive contrast-enhancing function to remap an input histogram for pixels below the pixel level threshold to a new histogram specification.
- 8. (Original) The method of claim 7, wherein the new histogram specification is a uniform distribution.
- 9. (Original) The method of claim 7, further comprising tabulating the input histogram from the pixels of the input video frame.
- 10. (Original) The method of claim 7, further comprising tabulating the input histogram from the pixels of one or more previous input video frames in the video sequence.
- 11. (Original) The method of claim 10, wherein tabulating the input histogram comprises maintaining each bin of the input histogram by exponentially time-filtering a corresponding bin as calculated for sequential frame histograms, each frame histogram representing one frame in the video sequence.
- 12. (Original) The method of claim 7, wherein calculating the adaptive contrastenhancing function is performed once for every input video frame.
- 13. (Original) The method of claim 7, wherein the adaptive contrast-enhancing function has a pixel level output range different than the range of input pixel levels below the pixel level threshold.
- 14. (Previously presented) The method of claim 1, wherein remapping for pixels both below and above the first pixel level threshold comprises using a pixel's value as an index to read a value from a common lookup table that combines the adaptive contrast-enhancing function and the scene-stable remapping function.

- 15. (Canceled)
- 16. (Canceled)
- 17. (Currently Amended) The method of claim <u>1</u> 15, further comprising, when a substantial change in scene content is detected, allowing the scene-stable remapping function to change substantially.
- 18. (Original) The method of claim 1, wherein the scene-stable mapping function remaps a pixel to an output level that is a linear function of that pixel's input level.
 - 19. (Canceled)
 - 20. (Canceled)
 - 21. (Currently Amended) A video contrast enhancer comprising:

a contrast-enhancing function generator capable of accepting a target histogram specification and a set of histogram bins derived from one or more frames of a video sequence, the bins representing a histogram at least for pixel levels below a selected pixel level threshold, the function generator capable of generating a remapping function for input pixel levels below the threshold based on the target histogram specification and the set of histogram bins; and

a scene-stable mapper to control the remapping function for input pixel levels above the threshold:

a histogram calculator capable of constructing a frame histogram for the input video frame;

a temporal histogram filter to supply the set of histogram bins for use by the contrast-enhancing function generator, each bin comprising an exponentially time-filtered combination of sequential frame histograms from the histogram calculator; and

a scene change detector capable of detecting scene changes based on a comparison of successive frame histograms from the histogram calculator and supplying a scene change signal when a scene change is detected in the video sequence, the temporal histogram filter applying a different time constant when the scene change signal is asserted.

Docket No. 8371-098

Page 4 of 8

Application No. 09/676,523

- 22. (Original) The video contrast enhancer of claim 21, further comprising a pixel remapper capable of accepting a pixel level from an input video frame and outputting a corresponding remapped pixel level according to the remapping function.
- 23. (Original) The video contrast enhancer of claim 22, wherein the pixel remapper comprises a lookup table indexed by input pixel level, the lookup table supplying the remapped pixel level according to the remapping function.
 - 24. (Canceled)
- 25. (Currently Amended) The video contrast enhancer of claim 21 24, wherein the bins of the frame histogram are supplied to the contrast-enhancing function generator as the set of histogram bins.
 - 26. (Canceled)
 - 27. (Canceled)
- 28. (Original) The video contrast enhancer of claim 21, further comprising a threshold calculator to calculate the set threshold to correspond to a selected percentage of the pixels represented in the histogram bins.
- 29. (Original) The video contrast enhancer of claim 21, wherein the scene-stable mapper controls the remapping function to at least approximate a linear function of input pixel level.
- 30. (Original) The video contrast enhancer of claim 21, further comprising:
 a histogram calculator capable of constructing a frame histogram for an input
 video frame:
- a frame buffer capable of buffering an input video frame until a remapping function can be calculated for that frame; and
- a pixel remapper capable of accepting a pixel level from the buffered input video frame and outputting a corresponding remapped pixel level according to the remapping

Docket No. 8371-098

Page 5 of 8

Application No. 09/676,523

function.

31. (Original) The video contrast enhancer of claim 21, wherein the contrast-enhancing function generator is also capable of generating a remapping function for input pixel levels above a second selected pixel level threshold higher than the first threshold, based on the target histogram specification and the set of histogram bins, and wherein the scene-stable mapper controls the remapping function for input pixel levels between the two thresholds.

32. – 40. (Canceled)